

Document made available under the Patent Cooperation Treaty (PCT)

International application number: PCT/NO04/000406

International filing date: 29 December 2004 (29.12.2004)

Document type: Certified copy of priority document

Document details: Country/Office: NO
Number: 20035851
Filing date: 30 December 2003 (30.12.2003)

Date of receipt at the International Bureau: 01 February 2005 (01.02.2005)

Remark: Priority document submitted or transmitted to the International Bureau in compliance with Rule 17.1(a) or (b)



World Intellectual Property Organization (WIPO) - Geneva, Switzerland
Organisation Mondiale de la Propriété Intellectuelle (OMPI) - Genève, Suisse



KONGERIKET NORGE
The Kingdom of Norway

Bekreftelse på patentsøknad nr
Certification of patent application no



20035851

► Det bekreftes herved at vedheftede dokument er nøyaktig utskrift/kopi av ovennevnte søknad, som opprinnelig inngitt 2003.12.30

► *It is hereby certified that the annexed document is a true copy of the above-mentioned application, as originally filed on 2003.12.30*

2005.01.21

Ellen B. Olsen
Saksbehandler

2003 -12- 30 0

Søknad om patent

www.patentstyret.no

PATENTSTYRET



Ferdig utfylt skjema sendes til adressen nedenfor. Vennligst ikke heft sammen sidene.
Vi ber om at blankettene utfylles maskinelt eller ved bruk av blokkbokstaver. Skjema for
utfylling på datamaskin kan lastes ned fra www.patentstyret.no.

03-12-30*20035851

Søker Den som søker om patent blir også innehaver av en eventuell rettighet. Må fylles ut!

Foretakets navn (fornavn hvis søker er person):

Gocard AS

Etternavn (hvis søker er person):

☐ Kryss av hvis søker tidligere har vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

c/o Traconet, Pb. 105

Postnummer:

1300

Poststed:

Sandvika

Land:

☐ Kryss av hvis flere søkere er angitt i medfølgende skjema eller på eget ark.

☒ Kryss av hvis søker(ne) utfører mindre enn 20 årsverk (se veiledning).

☐ Kryss av hvis det er vedlagt erklæring om at patentsøker(ne) innehar retten til oppfinnelsen.

Kontaktinfo Hvem skal Patentstyret henvende seg til? Oppgi telefonnummer og eventuell referanse.

Fornavn til kontaktperson for fullmektig eller søker:

Øyvind

Etternavn:

Smedseng



Telefon:

2 1 0 0 9 0 0 0

Referanse (maks. 30 tegn):

156755/ØS/vw



Evt. adresse til kontaktperson:

c/o Oslo Patentkontor AS

Postboks 7007 M

Postnummer:

0306

Poststed:

OSLO

Land:

Fullmektig Hvis du ikke har oppnevnt en fullmektig, kan du gå til neste punkt.

Foretakets navn (fornavn hvis fullmektig er person):

Oslo Patentkontor AS

Etternavn (hvis fullmektig er person):

☒ Kryss av hvis fullmektig tidligere har vært kunde hos Patentstyret.

Oppgi gjerne kundennummer: 3 0 0 8 2

Adresse:

Postboks 7007 M

Postnummer:

0306

Poststed:

OSLO

Land:

Oppfinner Oppfinneren skal alltid oppgis, selv om oppfinner og søker er samme person.

Oppfinnerens fornavn:

Christian

Etternavn:

Theien Andreassen

☐ Kryss av hvis oppfinner tidligere har vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

Niels Henrik Abels v. 29

Postnummer:

0851

Poststed:

Oslo

Land:

☒ Kryss av hvis flere oppfinnere er angitt i medfølgende skjema eller på eget ark.

ADRESSE

Postboks 8160 Dep.
Københavngaten 10
0033 Oslo

TELEFON

22 38 73 00

TELEFAKS

22 38 73 01

BANKGIRO

8276.01.00192

ORGANISASJONSNR.

971526157 MVA



PATENTSTYRET

Styret for det industrielle rettsvern

SØKNAD s. 1 av 2

FLERE SØKERE

FLERE OPPFINNERE

PRIORITETER

VEILEDNING



... søknad om patent

SØKNAD s. 2 av 2

▼ **Tittel** Gi en kort benevnelse eller tittel for oppfinnelsen (ikke over 256 tegn, inkludert mellomrom).

Tittel:

System, fremgangsmåte og anordning for administrasjon av data for golf handikap

▼ **PCT** Fylles bare ut hvis denne søknaden er en videreføring av en tidligere innlevert internasjonal søknad (PCT).

Inngivelsesdato (åååå.mm.dd):

Søknadsnummer:

PCT-søknadens dato og nummer:

PCT

/

▼ **Prioritetskrav** Hvis du ikke har søkt om denne oppfinnelsen tidligere (i et annet land eller i Norge) kan du gå videre til neste punkt.**Prioritet kreves på grunnlag av tidligere innlevert søknad i Norge eller utlandet:**

Inngivelsesdato (åååå.mm.dd):

Landkode:

Søknadsnummer:

Opplysninger om tidligere søknad. Ved flere krav skal tidligste prioritet angis her:

☐ Flere prioritetskrav er angitt i medfølgende skjema, eller på eget ark.▼ **Mikroorganisme** Fylles bare ut hvis oppfinnelsen omfatter en mikroorganisme.**Søknaden omfatter en kultur av mikroorganisme. Deponeringssted og nummer må oppgis:**

Deponeringssted og nummer (benytt gjerne eget ark):

☐ Prøve av kulturen skal bare utleveres til en særlig sakkyndig.▼ **Avdelt/utskilt** Hvis du ikke har søkt om patent i Norge tidligere, kan du gå videre til neste punkt.**Søknaden er avdelt eller utskilt fra tidligere levert søknad i Norge:**☐ Avdelt søknad

Dato (åååå.mm.dd):

Søknadsnummer:

☐ Utskilt søknad

Informasjon om opprinnelig søknad/innsendt tilleggsmateriale

▼ **Annet**☐ Søknaden er også levert per telefaks.

Oppgi dato (åååå.mm.dd):

☐ Jeg har bedt om forundersøkelse.

Oppgi nr (årstall - nummer - bokstav):

▶ **Vedlegg** Angi hvilken dokumentasjon av oppfinnelsen du legger ved, samt andre vedlegg.☒ Eventuelle tegninger i to eksemplarer

Oppgi antall tegninger:

0 5

☒ Beskrivelse av oppfinnelsen i to eksemplarer☒ Patentkrav i to eksemplarer☐ Fullmaktsdokument(er)☐ Sammendrag på norsk i to eksemplarer☐ Overdragelsesdokument(er)☐ Dokumentasjon av eventuelle prioritetskrav (prioritetsbevis)☐ Erklæring om retten til oppfinnelsen☐ Oversettelse av internasjonal søknad i to eksemplarer (kun hvis PCT-felt over er fylt ut)▶ **Dato/underskrift** Sjekk at du har fylt ut punktene under: «Søker», «Oppfinner» og «Vedlegg». Signer søknaden.

Sted og dato (blokkbokstaver):

Oslo, 30. desember 2003

Navn i blokkbokstaver:

Oslo Patentkontor AS

Signatur:

 OSLO PATENTKONTOR AS
 POSTBOKS 7007 H, N-0306 OSLO

NBI Søknadsavgiften vil bli fakturert for alle søknader (dvs. at søknadsavgiften ikke skal følge søknaden).
 Betalingsfrist er ca. 1 måned, se faktura.


PATENTSTYRET®
 Styret for det industrielle rettsvern



Flere oppfinnere

Dette skjemaet benyttes som vedlegg til patentsøknaden for å oppgi flere oppfinnere. **NB! Gi hver oppfinner et nummer.** Personen oppgitt på søknadsskjemaet vil alltid bli registrert som nr. 01. Første angivelse på dette skjema vil være oppfinner 02. Skjema for utfylling på datamaskin kan lastes ned fra www.patentstyret.no.

► **Referanse** Gjenta referansen fra «kontaktinfo», eventuelt søkerens navn, som angitt på søknadsskjemaets første side. Må fylles ut!

Referanse:

156755/Øs/vw

▼ **Oppfinner nr:** 0 2

Fornavn og mellomnavn:

Per Helge

Etternavn:

Bøhn-Lie

☐ Oppfinner har tidligere vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

Professor Kohts vei 99

Postnummer:

1368

Poststed:

Oslo

Land:

▼ **Oppfinner nr:** 0 3

Fornavn og mellomnavn:

Jan

Etternavn:

Bøyesen

☐ Oppfinner har tidligere vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

Hoffsveien 30

Postnummer:

0275

Poststed:

Oslo

Land:

▼ **Oppfinner nr:** 0 4

Fornavn og mellomnavn:

Andreas

Etternavn:

Ravn

☐ Oppfinner har tidligere vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

Brageveien 2e

Postnummer:

0452

Poststed:

Oslo

Land:

▼ **Oppfinner nr:** 0 5

Fornavn og mellomnavn:

Thomas

Etternavn:

Torseth

☐ Oppfinner har tidligere vært kunde hos Patentstyret.

Oppgi gjerne kundennummer:

Adresse:

Svalbardveien 16

Postnummer:

0375

Poststed:

Oslo

Land:

NB! Ved behov for mer plass benyttes flere skjema eller eget ark.

FLERE OPPFINNERE



PATENTSTYRET®
Styret for det industrielle rettsvern

1b

PATENTSTYRET

03-12-30*20035851

30. desember 2003
o:156755_- ØS/vw
Ny norsk patentsøknad

Søker:

Gocard AS
C/o Traconet,
Pb. 105
1300 Sandvika

Oppfinnere:

Christian Theien Andreassen
Niels Henrik Abels v. 29
0851 Oslo

Per Helge Bøhn-Lie
Professor Kohts vei 99
1368 Oslo

Jan Bøyesen
Hoffsveien 30
0275 Oslo

Andreas Ravn
Brageveien 2e
0452 Oslo

Thomas Torseth
Svalbardveien 16
0375 Oslo

Tittel:

Fremgangsmåte og anordning for oppsamling av olje blandet med
isblokker

FULLMEKTIG:

Oslo Patentkontor AS, Postboks 7007M, 0306 Oslo

A SYSTEM, METHOD AND DEVICE FOR MANAGING GOLF HANDICAP DATA

Field of the invention

5 The present invention relates to the field of golf, and more particular a system, method and device for handling handicap-qualifying scores from individual players.

Technical background

10

In golf, the players have to keep a detailed track of their progress through their game, registering how many attempts on hitting the ball is required for them to complete a hole. These scores are part of a detailed player rating
15 system, where the player level is reflected through a rating called handicap. As the player improves, so does their handicap after each qualifying round.

20

As there are many factors behind keeping a golf score, the players use scorecards with more or less advanced tables for calculation and registration of scores. In many places these scorecards are made on paper, and the players keep track of the scores by filling them in with a pencil. After the game the scores are used for a calculation of handicap
25 and approved by play partner, golf club or tournament committee, depending on the circumstances.

30

Keeping track of play details is also a significant part of golf culture, where score registration is regulated by many rules sometimes imposing strict procedures for how to fill out and complete a scorecard.

35

For a round of golf to be handicap-qualifying, the rules today demand that two players verify each others scores made on one scorecard. Often two separate scorecards are used, where one players fills out a scorecard for the flight (up to four players), and a second fills out the second scorecard in parallel, for later cross-check. Thus

at least two players are required. After the game is completed, the scores are controlled, and the controlling player enters the new adjusted handicap and signs the handicap-card belonging to the first player, and vice versa.

In tournament play the rules are even stricter: two scorecards per flight are required. Before play, both scorecards have to be signed by both players keeping record, and after the game these scorecards are handed in to the tournament committee, where they are compared before results and adjusted handicap is calculated.

For the results of the play to be accepted and new handicaps calculated, the results coming from the scorecards must be identical: This creates problems in a solution where two electronic scorecards are used, as there is no way the two active units can automatically verify input against each other during the game. If a mismatch occurs, and the players do not spot this by themselves as they record the results, the error is only detected after the 18 holes have been completed. The players then have to remember the game details in order to correct the error, which is difficult.

Today, there are a number of different administration and database solutions storing golf player information, including personal details, membership payment status and official handicap. The official handicap is per today in most countries adjusted once a year, through a painstaking process not deprived of reporting or computing mistakes where the clubs themselves through their handicap committee manually update their player's official handicap by typing it from the member's cards into a web-interface, to register and issue an updated card.

Prior art

In EP 0840639 B1, there is disclosed an electronic golf score recording system catering for the individual player, allowing him to track various scores - among which handicap - on a personally-owned electronic handheld, and update the club database with data recorded during play. This system eases the personal handicap recording and transfer to the golf club PC, but it is focussed on the individual player requirements, and does not address the specific issues of data management quality and integrity during tournament or handicap-qualifying rounds, and the further management of handicap-data during and after the game except through the simple synchronisation with the club PC at the end of the game. This patent says that the database used in connection with the "personal performance system" (the handheld device) is specific to one golf club/course, and does not use a database that is not specific to one golf club/course, or a national (or international) database covering a wide range of different clubs/courses.

Several patents and patent applications, among which US 6,062,991, WO 09607974 A1, WO 98/44998, EP 1072292 A2, attempt to ease communication between the remote or portable terminal and the golf club PC. But they do not address in a new and satisfactory manner the handicap-data quality and integrity management during and after handicap-qualifying games.

WO 9607974 A1 applies to solve the process of updating an individual handicap index card thanks to a contact less smartcard communicating with radio waves. This helps the travelling individual player bearing with him own data, but those are not certified, and with no information on latest updates.

In WO 09947216 A1, there is disclosed a solution where the golf PC is connected to other golf club PCs, for the club

PC to be able to access data on other clubs or home PCs, and vice-versa. The club PC may be connected to a golf association handicap database, itself being possibly in synchronisation with national or international databases.

5 But it does not handle handicap-data quality and integrity because data received in the golf club PC are not verified. Also the data is stored first in the club house PC, and not on the terminal on the course. This means that the critical communication between the terminal on the course and the
10 rest of the system is not backed-up by storage in the field unit.

In WO9607974 A1, there is mentioned that the golf club PC may be connected to a computer network or a database
15 through modem, cable or satellite, and that may allow all sorts of programming and information display, such as golfers playing on different club courses may communicate, but no issue on handicap-data quality and integrity are addressed. The central mainframe computer for the golf
20 association has several handicap computing, updating and normalising capabilities so as to issue monthly handicap updates to local clubs ensuring those data to be updated at the player level. As for WO 09947216 A1 there are no particular means for ensuring handicap data quality and
25 back-up during play.

In WO 0197925 A2, there is mentioned a database common to several golf clubs, acting as a central repository for handicap and other data. As for WO 09947216 A1 there are no
30 particular means for ensuring handicap data quality and back-up during play.

Summary of the invention

35 It is an object of the present invention to simplify handling of handicap score data.

It is another object of the invention to provide a system that guarantees the integrity and quality of handicap score data, and thus promotes fair play.

- 5 Another object of the invention is to provide a handheld device for registering golf score data which is fitted for outdoor use.

10 Another object of the invention to handle handicap data for players playing away from their club, e.g. when visiting a club abroad.

Still another object is to provide a system enabling conditioning access to popular golf clubs based on a
15 handicap criterion.

These objects are achieved in a system and method as claimed in the appended patent claims. According to a first aspect, the invention comprises a system for managing
20 handicap data during a game of golf, said system including: a golf club information system with access to information regarding the identity of individual golf players, handicap information for each registered golf player, and golf course information,
25 first and second electronic means for storing and processing scores during said game, each of said first and second electronic means being adapted to fetch identity and handicap information for at least one player, as well as golf course information from
30 said golf club information system before a game session commences, each of said first and second electronic means being adapted to receive score data for said player(s) during the game session,
35 said first and second electronic means being adapted to exchange the score data, compare the data entered and verify the correctness of said data,

and wireless communication means for transferring the verified score data to the golf club information system, said golf club information system being adapted to compute an updated handicap value for said player(s) from the
5 verified score data and store said updated handicap value.

According to a second aspect, the invention comprises a system for managing handicap data during a game of golf, said system including:

10 a golf club information system with access to information regarding the identity of individual golf players, handicap information for each registered golf player, and golf course information,
first and second portable electronic means for storing and
15 processing scores during said game,
each of said first and second electronic means being adapted to fetch identity and handicap information for at least one player, as well as golf course information from said golf club information system before a game session
20 commences,
said first and second electronic means being adapted to receive score data for said player(s) during the game session,
said first and second electronic means being adapted to
25 transfer score data collected during the game session to the golf club information system by wireless means, the golf club information system being adapted to compare the data entered, verify the correctness of said data, and compute an updated handicap value for said player(s).

30
According to a third aspect, the invention comprises a method for managing handicap data during a game of golf, said method including the following steps:
loading handicap and golf course information for at least
35 one player into a first portable electronic scorecard means from a golf club information system before a game session commences,

loading handicap information for said player(s) into a second portable electronic scorecard means from said golf club information system before said game session commences, entering score data for said player(s) into the first
5 electronic means during the game session, entering score data for said player(s) into the second electronic means during the game session, transmitting the score data entered into the first unit to the second unit,
10 comparing the data entered into the first unit with the data entered into the second unit, verifying the correctness of said data, transferring the verified score data to the golf club information system,
15 computing an updated handicap value from the verified score data, and storing said updated handicap value.

According to a fourth aspect, the invention comprises a
20 method for managing handicap data during a game of golf, said method including the following steps:
loading handicap and golf course information for at least one player into a first portable electronic scorecard means from a golf club information system before a game session
25 commences,
loading handicap information for said player(s) into a second portable electronic scorecard means from said golf club information system before said game session commences, entering score data for the player(s) into the first
30 electronic means during the game session, entering score data for the player(s) during the game session,
transmitting the entered score data from the first electronic means to the golf club information system by
35 wireless means,
transmitting the entered score data from the second electronic means to the golf club information system by wireless means,

comparing the data entered into the first unit with the data entered into the second unit,
verifying the correctness of said data,
computing an updated handicap value for the player(s), and
5 storing said updated handicap value.

According to a fifth aspect, the invention comprises a device for managing handicap data during a game of golf, including a Central Processing Unit, a memory, a user
10 interface, external communication means, said memory being adapted to receive and store golf score data for at least one player, means for synchronizing the data stored in said memory with data stored in other corresponding units.

15 Further advantageous embodiments of the invention are covered by the following dependent claims.

Brief description of the drawings

20 The invention will now be described in detail in reference to the appended drawings, in which:

Fig. 1 shows the appearance of an electronic scorecard unit according to the present invention,
25

Fig. 2 is a schematic diagram showing the functional blocks of the unit in Fig. 1,

Fig. 3 illustrates the three operation modes of the unit
30 shown in Fig. 1,

Fig. 4 is a schematic diagram illustrating a first embodiment of the synchronisation mechanism used in the invention,
35

Fig. 5 is a corresponding diagram showing another way of synchronising the electronic scorecard units,

Fig. 6 is illustrating the database system used in the invention.

Detailed description of the invention

5

System overview

The invention form a system where paper based scorecards and manual registration of golf play data is substituted
10 with electronic handheld scorecards and means for automatically gather and organize the data in a central database for future access and reference. All functions for entering score information lies in a handheld unit containing details on players and the golf course, plus the
15 necessary means for receiving golf play data, storing them in score tables and calculating resulting points and handicap adjustments.

The system comprises three main parts:

20

1: A handheld unit with scorecard functionality.

2: A golf club information system comprising a golf club server that can be accessed from a terminal at the club
25 house. The handheld units can be stored near said terminal; configured by the terminal before game and emptied of play details after game through a wireless connection. This terminal provides the players with necessary functions for entering player details and choosing between the different
30 options needed for setting up a game. There are also functions for displaying details after the game is completed, along with options for paper printouts. After play, the terminal transmits the data to a database, where the players' profiles are updated.

35

3: A database where a profile is kept for all players using the system. The database provides necessary data for configuration of a new game, and stores resulting details

after the game is completed. Different parts of the information on each profile can be accessed by the players, golf clubs and other central groups or institutions depending on level of access.

5

For the players, the system is used in the following way: Before the game, a "flight" is established. The flight is a group of active golf players sharing the same hole as they play along. The players then choose a scorecard unit for
10 their game from a holder located at the terminal, or bring with them their personal scorecard units. Then, the players use their personal ID means to download necessary personal information into the terminal, and set up their game individually based on desired play mode and level. After
15 all active players in the flight have set up their game a scorecard unit is wirelessly configured with the data, and the unit is ready for play. In many cases, for example in a tournament, the flight will require a second unit with the exact same configuration. This unit is called a "marker",
20 and play data is recorded in parallel on these units to ensure that the data entered is correct. If a marker unit is required then the players activate this option on the terminal and a second unit is configured before the flight departs.

25

During the game, the players use a simple graphic interface to choose player profile, hole and then enter the number of strokes made on that hole. The unit makes a calculation of points based on the results and after all holes are
30 completed the sum of these points will together with adjustment rules give a new adjusted handicap for the player. All details are displayed on the unit through summaries. If the flight uses a second unit, a marker, the data entered on the units will be verified against each
35 other, so that the players are forced to correct mistakes in registration immediately.

After the game is finished, the data is retrieved from the unit or units and displayed on the terminal upon demand. The unit is also replaced in a holder located at the terminal. From the terminal the players may view the results and make a paper printout before the results are stored in the central database.

Along with the play details, the current handicap stored on the database is updated, and may provide an "official" handicap, being a handicap that counts as genuine if the players should visit clubs or courses not using the system.

The other details on the players profile can be accessed through a web interface using standard access control, where the player or other authorized parties can view play history, performance development over time and various statistics.

Electronic scorecard unit

Fig. 1 shows an embodiment of an electronic scorecard unit according to the present invention. This unit includes a display 1.1 and a keypad 1.2 for entering data and choosing between the available operation modes. The scorecard unit is housed in a ruggedized encapsulation 1.3, which is watertight and suited for outdoor use even in a wet climate.

Fig. 2 shows the principal functional blocks of a dedicated scorecard unit, including a CPU 2.1, a RAM 2.2 storing programs and data, communication means 2.3, a user interface 2.4, and an optional GPS receiver 2.5.

The communication means 2.3 can be based on IR, Bluetooth, WLAN or any other custom short-range radio frequency communication system, e.g. operating in the 430 MHz band. Presently, the user interface includes a conventional display screen and a keyboard. Other embodiments of the

scorecard unit can rely on other interfaces, e.g. a touch sensitive screen, on which the user can input data with a stylus/pen, or a voice recognition unit. In addition, biometrical recognition means can be incorporated in the scorecard reader, e.g. a fingerprint reader, for authenticating the identity of the user.

Optionally, the electronic scorecard unit may include a GPS receiver 2.5. A map of the golf course can then be loaded into the scorecard unit; showing the actual position of the flight on the green, the position of the holes/starting points, the distance and direction to the next hole and so on. In addition, the position of the flight may be transmitted to the terminal/golf club server. The golf club server can then follow the progression of the game and decide when another game may start on the same course.

The GPS receiver 2.5 is only an example of a feasible way of determining the position of the scorecard unit. However, the position may be obtained by any method available. In its most simple embodiment, the position may be inferred by the golf club server from the data entered into the scorecard unit, i.e. when the score data for a certain hole is entered, the flight is probably at that hole leaving for the next start position.

The scorecard unit can be adapted to hold and register personal score data for one player only. Alternatively, the unit can be adapted to hold data for several players concurrently; the players shifting between the personal data sets by touching a key, or by touching the fingerprint reader. Synchronisation between the data entered by each player can then be performed internally in the unit.

Fig. 3 shows screen shots of three different operation modes for the dedicated scorecard unit of Fig. 1. The information screen at A shows the data loaded from the database, i.e. the identity of each player and the official

handicap. Also shown is the number of additional strokes available for each player, on this particular course. In this case, the flight consists of four players. The screen for entering data for one of the players in the flight is shown at B. The person entering the data may shift between the various players' screens by depressing the appropriate button at the left hand side of the scorecard unit. The summary screen C shows the results obtained by one of the players so far in the game. Again, the summary screens for other players may be retrieved by pressing the appropriate button on the left.

At the present state of the art, it is preferred to implement the invention using dedicated electronic scorecard units, as described above. Then, we can be sure that all participants in a game will possess a fully functional unit.

However, it is also possibly to implement the scorecard unit on a small handheld computer, like a PDA, a play terminal, an advanced multifunctional mobile phone or a so-called smartphone. Such units will possess all interfaces needed to work as a scorecard, and can obtain the scorecard functionality either from installed software, or by loading an application from the Web, e.g. a Java application. However, presently PDAs or mobile phones with the necessary capabilities are not commonly owned by all players, as these units have not yet reached a mature technical development and standardisation of features. At a later stage, when such devices are in common use, we foresee that the dedicated units will be replaced with such personal devices.

In the future, we can also foresee a further development towards more advanced terminals, e.g. implemented on electronic paper, or as a fourth generation cellular phone without a conventional screen; the image being projected on the retina. Electronic paper as such is e.g. described in

US patent application 2003/0020701, while retinal projection is described in US patent 6560028 and US patent 5813990.

5 Wireless communication network

As mentioned above, each scorecard unit includes a short-range communication transceiver and/or a long-range communication unit. The communication equipment is used for communication between the units of a flight, in order to synchronise the data entered into the units by the players, and to communicate the results to the golf club information system. In the case of the units being of the dedicated type, short-range communication systems are preferred, based on IR, Bluetooth, WLAN or any other custom radio frequency wireless communication system. In order to avoid interferences between two nearby flights, e.g. when crossing paths, the communication signals must be locked to specific channels or encrypted, according to the system used. When a hole is completed, the score data are entered into the units by the players. Then, the scorecard units will synchronise, as explained in detail below, by communication over the short-range link. If the units agree, the verified score is transmitted to the terminal in the club house. In order to extend the area of coverage, a number of base station units may be scattered across the golf course. These units are connected with cable to the system in the club house. The base station units could be passive, listening only to the signals emitted by the scorecard units. A measure of redundancy could be incorporated into the system; the scorecard units could repeat all results when completing a hole; transmitting a signal packet containing the results of the game up until then. However, it is rather preferred that the club system transmits an acknowledge signal when a result has been received. The base stations in the field could of course be dispensed with. Then, the scorecard units will have to store the results until the flight returns and come within

signal coverage of the club house. In addition, the scorecard units includes a hardwired serial interface, in case the wireless system should fail completely.

- 5 In case of the scorecard units being PDAs/mobile phones running a scorecard application, the units can synchronise via a short-range communication system, e.g. IR or Bluetooth, and the results being transmitted to the golf club information system via the normal public mobile
10 communication system supported by the units, e.g. GSM, GPRS, UMTS, or other similar systems. However, it is then possible to let the golf club information system perform the synchronisation, the units transmitting the number of strokes entered by the users to the golf club information
15 system, receiving an acknowledge signal if everything is in order. If the radio coverage is satisfactory, such a scheme may be used in the dedicated units as well, lessening the need for processing power in the units.

20 Synchronisation

Figure 4 shows a typical scenario during golf play with usage of multiple units. The units have all been configured during check in, as shown in figure 3.

- 25 Two or more units 6.1, 6.2 are used by a flight, i.e. a team of players sharing the same hole. Two or more players, or helpers, such as caddies, operate the units during play, and operation is not limited to a certain individual.
- 30 During play scorecard data (such as number of strokes per hole, type of stroke) is registered in the units 6.1, 6.2. The units 6.1, 6.2 will attempt to compare the data by synchronizing and then report any discrepancies, e.g. on the display or as an audio or light alarm, or a data entry
35 or message to an external device, such as a part of a tournament administration system. The discrepancies must be corrected on one or both units and verified on both.

Synchronization method A in figure 4 uses a wireless network 6.3 where registered scorecard data is transmitted for synchronization e.g. after each completed hole. The data is relayed through the golf club server 6.4, which can
 5 keep a back-up copy. The golf club server 6.4 compares the scorecard data received from the units 6.1, 6.2, and then triggers the correction procedure in the units 6.1, 6.2. If data matches, the units 6.1, 6.2 may inform the users that data entry for that hole is completed, and the
 10 scorecard data is marked as accepted and verified.

In systems using synchronization method B as shown in Fig. 5, the units 6.1, 6.2 will synchronize internally without involving the server, by exchanging signals on a connection
 15 linking the two units 6.1, 6.2. When any mismatch has been corrected and the units are synchronized, the result is transmitted to the golf club server over a wireless link (not shown).

20 If the flight uses only one unit, by choice or due to unit malfunction, there is no possibility to synchronize and verify data with a second unit. The scorecard data from the unit 6.1, 6.2 will be stored in the golf club server 6.4 as previously described. Whenever the flight again operates a
 25 second unit 6.1, 6.2, the system works as previously described, and the mismatch between the units is corrected in accordance with the described procedure.

Figure 6 shows the entire system where the arrows indicate
 30 data flow during check in and check out of a flight. The flight will during play use one or more scorecard units of the dedicated type 6.1 or mobile phone /PDA/Smartphone 6.2. Unit 6.1 is typically a dedicated unit for golf play, where the authorization of the users is done by using an
 35 authorization source 6.1.b such as a smartcard (credit card), Mobile phone with pin code, password or biometrical methods. The authorization may involve resources available over the network 6.3. The authorization source 6.1.b may

store handicap and player info; this can be used if data cannot be retrieved from preferred sources, such as a database 6.5.

Unit 6.2 is a non-dedicated unit, e.g. a mobile phone or a generic device such as a PDA or game console. The scorecard functionality comes from a data program that may be preinstalled or downloaded from the network 6.3 during check in. The programme may be coded using standard programming languages, such as Java. The identification in the unit 6.2 is either based on the units own method of identification or a method using an external unit connected to the network e.g. in the golf club server 6.4 or the database 6.5. The unit 6.2 may also store data in the same way as a separate authorization source 6.1.b.

As the score card unit 6.1 will have a design optimised for golf play and a weatherproof construction, users having a Mobile phone 6.2 may prefer to use a dedicated unit 6.1 and optionally copy data from the system to their Mobile phone 6.2, during or after play, e.g. as part of the check out procedure.

A unit 6.1, 6.2 is not limited to one instance per physical device, as it is implemented as a process/application, and thus all the units used by a flight may be operated on one and the same physical device.

Golf club information system

The information system may include a terminal placed in the club house. The terminal is connected to a golf club server 6.4. The golf club server 6.4 is typically owned by the golf club. It may be implemented using standard server technology on e.g. a PC. The golf club server 6.4 runs software that give the players configuration options for the scorecard units 6.1, 6.2, possibility to register new players and may control calculation and payment of e.g. green fees or admission fees. Based on knowledge of the players' handicap, play history and conduct the users may

be presented with options for registering to tournaments or events not limited to the local golf club, as the server 6.4 gets information from other parts of the system 6.6, 6.9. Golfers may also be denied access to play, based on the same principles.

The golf club server 6.4 may, as seen in figure 6, have knowledge of all flights currently on the green. It may also have statistics based on handicap and play history and thus it can be used by the club administration to supervise the flights and better calculate when a new flight can begin.

Database

The central database 6.5 is where handicap data for a number of clubs, or all clubs in a country or region, or all golf clubs with the inventive system, or all clubs in the world is stored. Every golf player has a unique identification in the system. All play information registered in the system is stored. It may include the adjusted handicap resulting from the last play, and this adjusted handicap can be used by clubs as the current, official handicap.

The golf club's administration system 6.6 is a separate computer program that serves all administrative purposes for the golf club. It may be responsible for providing official handicap during check-in and is synchronized with the system's central database 6.5, which will normally be the source for official handicap data during check in. The web interface 6.7 is a function that provides player statistics on a web page that can be part of any personalized golf information system and may be accessed from a web terminal 6.8, e.g. a home PC. Other, official bodies 6.9 can also gain access to the data.

A set of golf clubs may be organized in a national, international, league-based or union-based system 6.9 with

a common administrations system, that may use the handicap and play data from the central database 6.5 for e.g. statistics and basis for incentives.

- 5 A flight configures a play during check in. The data for setting up the flight is player names and official handicap, and may also include other relevant information such as commercials or tournament invitations based on handicap. The data is retrieved from the golf club
10 administration program 6.6 via the golf club server 6.4. If no contact between the club server 6.4 and the administration system 6.6 is possible, e.g. due to network malfunction, then player data and handicap is retrieved from the authorization source 6.1.b or 6.2, as previously
15 described.

- Having a central regional, national or international database opens up a possibility for players normally using clubs with the inventive system to update the database 6.5
20 with play information from plays made at golf courses without the inventive system. The update of information is done in the club immediately after the play is completed, and is done on a computer with an internet connection and a web browser. This is all the more important as more and
25 more, access to popular clubs is conditioned by the handicap of the player, be he/her an applying member or a guest player. It is thus critical to have the most recent handicap updated at once. Through a web-based interface the player logs on using his login and password (given at first
30 registration) and through an option for "manual update" adds information on the completed golf play, and a new handicap is calculated by the interface. For the update to be accepted and the adjusted handicap declared official, a representative from the golf club has to certify the update
35 by typing in his password. The golf club receives this password by obtaining a authorization beforehand. This authorization is given on request by a club after a standard check. An update cannot be made by the club

without a player password and only to the player's profile, and if the player reveals his password he is responsible for future tampering to his profile done by the club.

- 5 Having a central regional, national or international database is also required when a player plays on several golf clubs/courses (national or international) using the inventive system, and these different results are to be updated to the same profile. Having an individual database
10 for each club is not an optimal solution, as all databases has to contain the same information, and would require unnecessary network traffic between them.


The primary function of the national/international database
15 is to provide accurate and dynamically adjusted handicap to the central member databases. In countries/areas where such databases do not exist, the national/international database may assume the role of official handicap source for the players there.

20

From the above, it can be inferred that the central database can be realised either as a dedicated database or as a distributed base. In the later case, all the data for the individual players are stored in the local database of
25 his/hers golf club. The central database is a server with pointers to the local bases. When a request for information on a particular player arrives at the central server, the data is retrieved from the local database. In the opposite case, all the data are stored in a dedicated central base.
30 Then, there is no need for a local database, unless the club prefers a local copy for back up or redundancy purposes, as all data can be retrieved from the central source.

- 35 The present inventive system has an additional advantage as it can be fully automated, e.g. if someone wants to start a game of golf early in the morning, before the staff manning the club house has arrived, the participants can log in to

the system through the golf club's Web page, load their personal handicap data into the electronic scorecards and begin playing. All practical issues as to managing handicap data, reservation of the green for the flight, billing
5 issues etc. will then be handled by the club information system.



C l a i m s

1. A system for managing handicap data during a game of golf, said system including:
5 a golf club information system with access to information regarding the identity of individual golf players, handicap information for each registered golf player, and golf course information,
c h a r a c t e r i z e d i n first and second
10 electronic means for storing and processing scores during said game,
each of said first and second electronic means being adapted to fetch identity and handicap information for at least one player, as well as golf course information from
15 said golf club information system before a game session commences,
each of said first and second electronic means being adapted to receive score data for said player(s) during the game session,
20 said first and second electronic means being adapted to exchange the score data, compare the data entered and verify the correctness of said data,
and wireless communication means for transferring the verified score data to the golf club information system,
25 said golf club information system being adapted to compute an updated handicap value for said player(s) from the verified score data and store said updated handicap value.

2. A system as claimed in claim 1,
30 c h a r a c t e r i z e d i n that said first and second electronic means are adapted to store a backup copy of the verified score data.

3. A system as claimed in claim 1,
35 c h a r a c t e r i z e d i n that said first and second electronic means are separate handheld units, the score data being transferred between the units by said wireless communication means.

4. A system as claimed in claim 1,
c h a r a c t e r i z e d i n that said first and
second electronic means are separate processes running in a
common handheld unit, the score data being transferred
5 between the first and second electronic means internally in
the unit.

5. A system for managing handicap data during a game of
golf, said system including:
10 a golf club information system with access to information
regarding the identity of individual golf players, handicap
information for each registered golf player, and golf
course information,
c h a r a c t e r i z e d i n first and second portable
15 electronic means for storing and processing scores during
said game,
each of said first and second electronic means being
adapted to fetch identity and handicap information for at
least one player, as well as golf course information from
20 said golf club information system before a game session
commences,
said first and second electronic means being adapted to
receive score data for said player(s) during the game
session,
25 said first and second electronic means being adapted to
transfer score data collected during the game session to
the golf club information system by wireless means, the
golf club information system being adapted to compare the
data entered, verify the correctness of said data, and
30 compute an updated handicap value for said player(s).

6. A system as claimed in claim 5,
c h a r a c t e r i z e d i n that said first and
second electronic means are separate handheld units.

7. A system as claimed in claim 5,
c h a r a c t e r i z e d i n that said first and
second electronic means are separate processes running in a
common handheld unit.

5

8. A system as claimed in claim 3, 4, 6 or 7,
c h a r a c t e r i z e d i n that said units are
dedicated electronic units.

10 9. A system as claimed in claim 8,
c h a r a c t e r i z e d i n that said wireless
communication system is based on IR, Bluetooth, 430 MHz
communication, or another Radio Frequency communication
system.

15

10. A system as claimed in claim 3, 4, 6 or 7,
c h a r a c t e r i z e d i n that said units are
Personal Digital Assistants and/or cellular phones and/or
play terminals, said first and second electronic means
20 being applications loaded from said golf club information
system before said game commences.

11. A system as claimed in claim 10,
c h a r a c t e r i z e d i n that said wireless
25 communication system is based on IR, and/or a short range
Radio Frequency communication system, and/or GSM, GPRS,
UMTS.

12. A system as claimed in claim 1 or 5,
30 c h a r a c t e r i z e d i n that said golf club
information system comprising a local server with a local
database.

13. A system as claimed in claim 12,
35 c h a r a c t e r i z e d i n that the local server is
connected to a regional server with a regional database
holding handicap data.

14. A system as claimed in claim 13,
c h a r a c t e r i z e d i n that the local server
and/or the regional server is equipped with a Web
interface.

5

15. A system as claimed in claim 1 or 5,
c h a r a c t e r i z e d i n that said golf club
information system comprises a local terminal connected to
a regional server with a regional database holding handicap
10 data.

10

16. A system as claimed in claim 1 or 5,
c h a r a c t e r i z e d i n that said golf club
information system comprises a regional server with a
15 regional database holding handicap data.

15

17. A system as claimed in claim 15 or 16,
c h a r a c t e r i z e d i n that said regional server
includes a Web interface.

20

18. A method for managing handicap data during a game of
golf, said method including the following steps:
- loading handicap and golf course information for at least
one player into a first portable electronic scorecard means
25 from a golf club information system before a game session
commences,

25

c h a r a c t e r i z e d i n

- loading handicap information for said player(s) into a
second portable electronic scorecard means from said golf
30 club information system before said game session commences,
- entering score data for said player(s) into the first
electronic means during the game session,
- entering score data for said player(s) into the second
electronic means during the game session,
- 35 - transmitting the score data entered into the first unit
to the second unit,
- comparing the data entered into the first unit with the
data entered into the second unit,

35

- verifying the correctness of said data,
- transferring the verified score data to the golf club information system,
- computing an updated handicap value from the verified
- 5 score data, and
- storing said updated handicap value.


19. A method for managing handicap data during a game of golf, said method including the following steps:
- 10 - loading handicap and golf course information for at least one player into a first portable electronic scorecard means from a golf club information system before a game session commences,
 - c h a r a c t e r i z e d i n
 - 15 - loading handicap information for said player(s) into a second portable electronic scorecard means from said golf club information system before said game session commences,
 - entering score data for the player(s) into the first electronic means during the game session,
 - 20 - entering score data for the player(s) during the game session,
 - transmitting the entered score data from the first electronic means to the golf club information system by wireless means,
 - 25 - transmitting the entered score data from the second electronic means to the golf club information system by wireless means,
 - comparing the data entered into the first unit with the data entered into the second unit,
 - 30 - verifying the correctness of said data,
 - computing an updated handicap value for the player(s), and
 - storing said updated handicap value.

- 35 20. A device for managing handicap data during a game of golf, including a Central Processing Unit (2.1), a memory (2.4), a user interface (2.3), external communication means

(2.2), said memory (2.4) being adapted to receive and store
golf score data for at least one player,
c h a r a c t e r i z e d i n
means for synchronizing the data stored in said memory
5 (2.4) with data stored in other corresponding units.

21. A device as claimed in claim 20,
c h a r a c t e r i z e d i n that said external
communication means are wireless communication means.
10

22. A device as claimed in claim 20,
c h a r a c t e r i z e d i n a Global Positioning System
device connected to said device.



1/5





FIG. 1



2/5





FIG. 2



A.



B.



C.



FIG. 3




FIG. 4






FIG. 5






FIG. 6

